



Italian style premium porcelain floor and wall tiles with special larger size that has been blended with natural colors, global design formats and production technology from Italy will make the tiles look exclusive, natural, strong and durable through firing production process that has the highest temperature at 1,200 degrees.

With carefully attempts to all the details of precess and designs to the motto 'Your Life in Your Own Way', it will be the best solution to be unique and different, exclusively yours.

กระเบื้องพอร์ซเลน (Porcelain) พรีเมียม ขนาดใหญ่สไตล์โมเดิร์นอิตาลี ที่ผสมผสานระหว่างเอกลักษณ์รูปแบบธรรมชาติ ด้วยดีไซน์ระดับโลก และเทคโนโลยีการผลิตชั้นเยี่ยมจากอิตาลี ทำให้กระเบื้องมีลวดลายสวยงามเสมือนจริงเป็นธรรมชาติสุดเอ็กซ์คลูซีฟ ที่ผสมผสานความแข็งแกร่ง ทนทาน โดยผ่านกระบวนการเผาด้วยความร้อนถึง 1,200 องศา ด้วยความพิถีพิถันทุกรายละเอียดของการผลิตกับงานดีไซน์แบบ “your life in your own way” การใช้ชีวิตในแบบของคุณ จึงตอบโจทย์รสนิยมที่แตกต่าง เพื่อสร้างความโดดเด่นแบบเอ็กซ์คลูซีฟ ในแบบของคุณ

Luxury In Every
Architecture And
Interior Design
By **MAXIMUS**



CONTENT

ISSUE 05

01 Tiles 80x160 cm.

02 Tiles 60x120 cm.

11 Tiles 60x90 cm.

18 Tiles 80x80 cm.

23 Tiles 60x60 cm.

34 Tiles 30x60 cm.





STORM

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
80x160	80x160	Matt	9	Yes



STORM WHITE

STORM GREY



STORM BROWN




เคลือบเงาเป็นบางจุด
ในแผ่นกระเบื้อง
Spot Glazed



ALPS STATURIO

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Shine (Polished) Stone (Structured)	11.80	Yes



ALPS STATURIO



TILE



POLISHED SURFACE



STRUCTURED SURFACE



MODERATELY NOTICEABLE
FROM TILE TO TILE



WALL TILE



FLOOR TILE



6 RANDOM



SUPERB CARRARA GRANDE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Polished	10.80	Yes



SUPERB CARRARA GRANDE (10013)

SUPERB CARRARA

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



SUPERB CARRARA (105)



SUPERB LASA GRANDE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Polished	10.80	Yes



SUPERB LASA GRANDE (10014)





NERO MARQUINA GRANDE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Polished	10.80	Yes



NERO MARQUINA GRANDE (50001)



GLAZED
PORCELAIN

TILE



POL

POLISHED SURFACE



V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE



FLOOR TILE



6 RANDOM

TRAVERTINO GREY


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Polished	10.80	Yes



TRAVERTINO GREY (10010)

DESERT WHITE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Matt	10.80	Yes



DESERT WHITE (20003)



TILE



POLISHED SURFACE



MATT SURFACE



UNIFORM
FROM TILE TO TILE



WALL TILE




FLOOR TILE




CARARRA

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Lappato/Polished	10	Yes
60x120	60x120	Polished	12	Yes



CARARRA




CARARRA




LASTER WHITE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Lappato/Polished	10	Yes
60x120	60x120	Polished	12	Yes



LASTER WHITE



LASTER WHITE



TILE



POLISHED SURFACE



LAPPATO SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE



FLOOR TILE



4 RANDOM



SUPER SATUARIO GRAND

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Polished Matt	10.80	Yes










SUPER SATUARIO GRAND (10012)

SUPER SATUARIO GRAND MATT (40001)

SUPER SATUARIO

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished Matt	10	Yes



SUPER SATUARIO (104)

SUPER SATUARIO MATT (401)



TILE



POLISHED SURFACE



MATT SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE




FLOOR TILE



4 RANDOM

FUJI MARBLE


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Polished	11.80	Yes



FUJI MARBLE

ICE MARBLE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x120	60x120	Polished	11.80	Yes



ICE MARBLE





DREAM WHITE


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



DREAM WHITE

CALACATZA

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



CALACATZA (T-60040)



TILE



POLISHED SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE



FLOOR TILE



6 RANDOM

ROYAL SATURTO GLOSSY

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



ROYAL SATURTO GLOSSY (T-1116)

PORPOISE WHITE (GLOSSY)

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



PORPOISE WHITE (60002) (GLOSSY)



TILE



POLISHED SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE



FLOOR TILE



ROYAL SATURTO GLOSSY
(T-1116)

6 RANDOM



PORPOISE WHITE
(60002) (GLOSSY)

4 RANDOM



HEZZEL GREY

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



HEZZEL GREY

ART WHITE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



ART WHITE



TILE



POLISHED SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE



FLOOR TILE



6 RANDOM

BELLA BEIGE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



BELLA BEIGE (T-1108)

ONYX CLASSICO

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



ONYX CLASSICO (T-1113)

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM





HERCULES MATT

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Matt	10.50	Yes



HERCULES MATT (T-1211)

CLOUD GREY (GLOSSY)

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



CLOUD GREY (60043) (GLOSSY)



TILE



POLISHED SURFACE



MATT SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE




FLOOR TILE



4 RANDOM

FOSSIL GREY (GLOSSY)


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



FOSSIL GREY (60042) (GLOSSY)

LEAD GREY (HI-GLOSSY)

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes




LEAD GREY (65003) (HI-GLOSSY)





HICKORY BROWN (HI-GLOSSY)


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



HICKORY BROWN (65001) (HI-GLOSSY)

AEGEAN BLUE (HI-GLOSSY)

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x90	60x90	Polished	10.50	Yes



AEGEAN BLUE (65002) (HI-GLOSSY)



TILE



POLISHED SURFACE



MODERATELY NOTICEABLE FROM TILE TO TILE



WALL TILE



FLOOR TILE



4 RANDOM

STONE GREY

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
80x80	80x80	Matt	11	Yes



STONE GREY





INFINITY SILVER

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
80x80	80x80	Polished/Matt	11	Yes
60x60	60x60	Polished/Matt	10	Yes
30x60	30x60	Polished	9.5	Yes



INFINITY SILVER



TILE



POLISHED SURFACE



MATT SURFACE



UNIFORM
FROM TILE TO TILE



WALL TILE



FLOOR TILE



4 RANDOM

INFINITY SAND

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
80x80	80x80	Polished	11	Yes
60x60	60x60	Polished/Matt	10	Yes
30x60	30x60	Polished	9.5	Yes



INFINITY SAND



TILE



POLISHED SURFACE



MATT SURFACE



UNIFORM
FROM TILE TO TILE



WALL TILE



FLOOR TILE



4 RANDOM





HONEY BLANCO


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
80x80	80x80	Polished	11	Yes



HONEY BLANCO

SATVARIO PEARL

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
80x80	80x80	Polished	11	Yes



SATVARIO PEARL



TILE



POLISHED SURFACE



UNIFORM
FROM TILE TO TILE



WALL TILE



FLOOR TILE



4 RANDOM



FLOW


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Matt	9.5	Yes



FLOW LIGHT GREY (60FL01)



FLOW GREY (60FL02)



FLOW DARK GREY (60FL03)



TILE



MATT SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE



FLOOR TILE



6 RANDOM

ARENCIA


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



ARENCIA (WDC6001)

CLASSIC STONE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



CLASSIC STONE (WDC6002)





MONALISA


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	9.5	Yes



MONALISA CREAM (BMMT6060B)



MONALISA LIGHT GREY (BMMT6060S)



MONALISA GREY (BMIL6060G)



MONALISA DARK GREY (BMMT6060G)




VENEZIA

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Matt	9.5	Yes




VENEZIA WHITE (BMTZ6001)



VENEZIA MIX (BMTZ6002)



VENEZIA GREY (BMTZ6003)



VENEZIA BLACK (BMTZ6004)





LINEO GREY

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



LINEO GREY (WDC6005)

CONTE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



CONTE (MP6622G)



TILE



POLISHED SURFACE



V2
SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE




FLOOR TILE

LINEO GREY (WDC6005)
6 RANDOM

CONTE (MP6622G)
4 RANDOM

CESARE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



CESARE (MP6031G)

FRANCO

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



FRANCO (MP6016G)





ARA


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Matt	10	Yes




ARA

SPACE BLACK

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Lappato	10	Yes




SPACE BLACK





CABANA WOOD


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



CABANA WOOD
(CECO604)

NEW KING WHITE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



NEW KING WHITE (103)



TILE



POLISHED SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE




WALL TILE



FLOOR TILE

NICOLA


Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



NICOLA (MP6621G)

NEW CORFU

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



NEW CORFU (SET006)



TILE



POLISHED SURFACE



UNIFORM
FROM TILE TO TILE



WALL TILE



FLOOR TILE






SOLID WOOD

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
60x60	60x60	Polished	10	Yes



SOLID WOOD GREY
(WDC6006)



SOLID WOOD BROWN
(WDC6007)



TILE



POLISHED SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE




FLOOR TILE




WHITE GENIUS

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Glossy Matt	9	Yes



WHITE GENIUS GLOSSY (WDC3615)



WHITE GENIUS MATT (WDC3616)



TILE



TILES



MATT SURFACE



SLIGHTLY NOTICEABLE
FROM TILE TO TILE



WALL TILE



4 RANDOM

SUPER SATURAIO

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Polished	9.5	Yes



SUPER SATURAIO (PL-20056-A)



SUPER SATURAI0 DE'COR

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Polished	9.5	Yes



SUPER SATURAI0 DE'COR (RS-20056-HL)



GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

8 RANDOM



MONTE

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Glossy	9.5	Yes




MONTE (PL-246A)



MULBERRY

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Glossy	9.5	Yes



MULBERRY WHITE LEAVES
(LV-234-A)



MULBERRY JOY LEAVES
(LV-234-B)



MULBERRY BUTTERFLY
(LV-234-HL)

CLEARWIND

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Glossy Matt	9.5	Yes



CLEARWIND BROWN MATT
(LF-388-A)



CLEARWIND WHITE GLOSSY
(LF-G.WHITE)






BELGIUM CREAMA

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Glossy	9.5	Yes



BELGIUM CREAMA
(BKK-018)



BELGIUM CREAMA RL
(BKK-019)

TATAN

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Structured	9.5	Yes



TATAN WHITE
(RCK-40110-A)



TATAN BROWN
(RCK-40110-B)



TATAN GREY
(RCK-40101-A)



TILE



TILES



STRUCTURED SURFACE



UNIFORM
FROM TILE TO TILE



WALL TILE

CANOVA

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Glossy	9.5	Yes



CANOVA (DM-206-A)



3D Texture is achieved through high modern technology which will gives attraction to every room setting


พื้นผิวมีมิติ ด้วยเทคโนโลยีที่ทันสมัย ทำให้มี
ความสวยงามเป็นธรรมชาติ เพิ่มความน่า
สนใจให้กับผนังบ้านของคุณ

MONA

Size (cm.)	Working (cm.)	Surface	Thickness (mm.)	Rectified
30x60	30x60	Glossy	9.5	Yes



MONA LEGA (BKK-009)



MONA LEON (BKK-010)

3D Texture is achieved through high modern technology which will gives attraction to every room setting

พื้นผิวมีมิติ ด้วยเทคโนโลยีที่ทันสมัย ทำให้มี
ความสวยงามเป็นธรรมชาติ เพิ่มความน่า
สนใจให้กับผนังบ้านของคุณ



FINISHES & TEXTURES

POL

POLISHED SURFACE

POLISHED

A full polished finish give the interior a vibrant and rich effect. The finish is a highly reflective and deepens the colour of tile and adds elegance to any installation.

MAT

MATT SURFACE

MATT / UNPOLISHED

The matt / unpolished finish give a beauty of nature soft look. The elegance of this finish is matched by its low maintenance and durability.

LAP

LAPPATO SURFACE

LAPPATO / SEMI POLISHED

The lappato finish is achieved through a mechanical process whereby the surface is polished with an abrasive wheel to softly reflect a sheer shine to give an elegant finish for an interior space.

STR

STRUCTURED SURFACE

STRUCTURED / TEXTURED

Design from natural stone or slabs, the structured or rock finish give slip resistant for any use or application. Durable and low maintenance, which offers sophistication that will lasts.

GLOSSY


TILES

GLOSSY


Glossy tiles are coated with glass-forming minerals and offer high stain and water resistance. Glossy tiles have a hard non-porous, impermeable surface after firing. These tiles do not require sealing.



POLISHED SURFACE



GLOSSY SURFACE



STRUCTURED SURFACE



MATT SURFACE



LAPPATO SURFACE

SHADE VARIATION

V1

UNIFORM FROM TILE TO TILE

UNIFORM FORM

The range of colours and tones within the same shade is relatively uniform from tile to tile. Minimal to no difference among pieces from the same production run.

V2

SLIGHTLY NOTICEABLE FROM TILE TO TILE

SLIGHTLY NOTICEABLE FROM TILE TO TILE

The range of colours and tones within the same shade is slightly noticeable from tile to tile. clearly distinguishable differences in design or pattern. with similar or slight change in colour tones.

V3

MODERATELY NOTICEABLE FROM TILE TO TILE

MODERATELY NOTICEABLE FROM TILE TO TILE

The range of colours and tones within the same shade is moderately noticeable from tile to tile. clearly distinguishable differences in design or pattern.

V4

DISTINCTLY NOTICEABLE FROM TILE TO TILE

DISTINCTLY NOTICEABLE FROM TILE TO TILE

The range of colours and tones within the same shade is distinctly different from tile to tile. Random colour differences from tile to tile so that one tile may have totally different colours from that on other tiles. **FINAL INSTALLATION WILL BE UNIQUE.**

LIGHT TO MODERATE TRAFFIC

This test is applied for glazed porcelain tile and more applicable for floor tiles. The rating measures the abrasive resistance or hardness of the tile's glaze on scale of 0-5

Class 0 (PEI 0) NO FOOT TRAFFIC

WALL TILE ONLY and should not be used on floors.

Class 1 (PEI 1) VERY LIGHT TRAFFIC

For tile that are suitable for residential bathroom with light or very low barefoot foot traffic.

Class 2 (PEI 2) LIGHT TRAFFIC

may be used where abrasive foot traffic is minimal-such as bathrooms, bedrooms, dining rooms and living rooms.

Class 3 (PEI 3) FOR FLOOR

subject to normal foot traffic and usage (including kitchens, outdoor entryways and hallways.) These tile can be recommended for all residential installations with normal foot traffic.

Class 4 (PEI 4) MODERATE TO HEAVY TRAFFIC

Suitable for light to medium commercial applications and high foot traffic areas for residential application.

Class 5 (PEI 5) HEAVY TRAFFIC





Ideally suited for all residential and heavy traffic commercial areas under normal foot traffic conditions.



TILE LAYOUT PATTERN

INNOVATION DESIGN FASHION POSSIBILITIES

Due to the low porosity of porcelain tiles, an improved high performance cementitious adhesive in accordance to BS EN 12004 & ISO 13007-1 is highly recommended adhesive manufacturers installation. Products that meet this standard are available amongst leading adhesive manufacturers. Please seek expert advice from adhesive manufacturers for proper selection and application.



Color shown in this catalog may vary with the original tile.
Shade, glaze and size variation is inherent property of ceramic.
Installation should be performed by qualified personnel.



TIS 2508-2555 (2012)



ข้อแนะนำการปูกระเบื้อง

1. ตรวจสอบข้อมูลข้างกล่อง

ควรเก็บข้อมูลข้างกล่องไว้
เมื่อต้องการซื้อเพิ่มเติม
ชนิด/ประเภท/รหัสสินค้า
ขนาด/เกรด

TYPE :
SIZE :



* ตรวจสอบสินค้าที่ส่งมอบก่อนนำไปใช้งาน
(หากไม่ถูกต้อง กรุณาแจ้งพนักงานขายทันที)
** ควรเก็บข้อมูลข้างกล่องไว้ เมื่อต้องการซื้อเพิ่มเติม
(โดยแจ้งรหัสและเลขที่เกรดกับพนักงานขาย)

2. หยดปูนกาว


เมื่อพบปัญหาของกระเบื้อง เช่น เกรดสีไม่ตรงกัน ขนาดไม่เท่ากัน

กรุณาติดต่อพนักงานขายโดยเร็วที่สุด

หมายเหตุ : การผลิตสินค้ากระเบื้องในแต่ละครั้ง ส่งผลให้เกรดสีกระเบื้องมีความแตกต่างกันได้
จึงขอแนะนำให้สั่งกระเบื้องให้พอดีกับการใช้แต่ละพื้นที่ และควรสั่งเผื่อประมาณ 10-15% ขึ้นอยู่กับขนาดพื้นที่

3. ปูตามแนวลูกศร


ควรปูกระเบื้องแต่ละแผ่นไปในทิศทางเดียวกันตามแนวลูกศร
หรือสัญลักษณ์โลโก้ที่อยู่ด้านหลังของแผ่นกระเบื้อง



(ด้านหลังของกระเบื้อง
จะมีลูกศรบอก
หรือสัญลักษณ์โลโก้)

4. เว้นร่องยาแนว อย่างน้อย 2-3 มม.

กระเบื้องเซรามิก และ กระเบื้องพอร์ซเลนทุกประเภท
ควรปูเว้นร่องยาแนวอย่างน้อย 2-3 มม. เพื่อให้แนวกระเบื้องดูสวยงาม
(จะปูให้แนวของกระเบื้องดูสวยงามสามารถใช้ Tile Spacer ในการเว้นระยะ
และใช้ได้กับกระเบื้องประเภทตัดขอบทุกรุ่น หากซื้อได้ตามร้านค้ากระเบื้องทั่วไป)



5. อย่าขีดเขียน

ไม่ควรใช้สีหรือปากกาเคมี ขีดเขียนลงบนผิวหน้ากระเบื้อง
เพราะจะทำให้เป็นรอยที่ลบออกได้ยาก

6. ขัดแว็กซ์ออก

ปกติกระเบื้องแกรนิตโต้ขัดเงา
จะผ่านการเคลือบแว็กซ์เพื่อปกป้องผิวหน้ากระเบื้อง
เมื่อติดตั้งเสร็จต้องขัดแว็กซ์ออกด้วย
ผงขัดแว็กซ์ ผงปูนขาว หรือผงยิปซัม
เพื่อความเงางามของผิวหน้ากระเบื้อง

* **ไม่ควรใช้ผงขัดแว็กซ์กับกระเบื้องสี**
** ยกเว้นในบางรุ่นที่มีฟิล์มพลาสติกปิดหน้า
กระเบื้องมาให้ลอกออกหลังปูเสร็จ



MAXIMUS™

“infinite ways of imagination”

แม็กซิมัส
MAXIMUSTM
THE GREATEST PORCELAIN TILES

WORLD CLASS DESIGNED MATERIALS COMMUNITY

บริษัท เวสเทิร์น เดคอร์ คอร์ปอเรชั่น จำกัด
WESTERN DECOR CORPORATION CO.,LTD.

HEAD OFFICE



(BANGKOK)

1168/19, 13th fl., Lumpini Tower, Rama 4 Rd.,
Tungmahamek, Sathorn, Bangkok
10120 Thailand
Tel : +662 679 8885-7, +662 285 6761-4
Fax : +662 679 9339

(CHIANGMAI)

Moo 4, Room No. 301, My Hip Condo 1,
3rd fl., Nongpakrang, Amphoe Mueang,
Chiangmai 50000 Thailand
Tel : 052 000 544 Fax : 052 000 662


FOLLOW US



BANGKOK SHOWROOM


CRYSTAL DESIGN CENTER (CDC)

205 (D Building) 2nd fl., Soi Ladprao 87,
Praditmanutham Rd., Klongjun,
Bangkapi, Bangkok 10240 Thailand
Tel. 02 102 2057-8, 081 612 6533
Fax. 02 102 2059



NIMITMAI SHOWROOM / WAREHOUSE

57/5-6, Moo 21, Nimitmai Rd.,
Lam Lukka, Pathumthani 12150
Thailand
Tel. 02 993 0588
Fax. 02 993 0589



PHUKET SHOWROOM

108/105-106, Moo 5,
Chalermprakit Rama 9 Rd.,
Rassada, Muang, Phuket
83000 Thailand
Tel. 076 304 450
Fax. 076 304 451