



BANGKOK Head Office

1168/19, 13th fl., Lumpini Tower, Rama 4 Rd., Tungmahamek, Sathorn, Bangkok 10120, Thailand
Tel. 02 679 8885-7, 02 285 6761-4 Fax. 02 679 9339

BANGKOK Showroom

CRYSTAL DESIGN CENTER (CDC)

203-205, 2nd fl., D Building, Soi Ladprao 87, Praditmanutham Rd, Klongjun, Bangkok, Bangkok 10240, Thailand
Tel. 02 102 2057-8, 081 612 6533 Fax. 02 102 2059

NIMITMAI Showroom

57/5-7, Moo 21, Nimitmai Rd., Lamukha, Pathumthani 12150, Thailand
Tel. 02 993 0588 Fax. 02 993 0589

PATTAYA Showroom

143/118-122, Moo12, Nong Prue, Bang Lamung, Chonburi 20150, Thailand
Tel. 082 452 5658

CHIANGMAI Showroom

LIV 365

88/8, 2nd fl., Mae Cow Soi, Moo 4, Fa Ham, Chiangmai, 50000, Thailand
Tel. 082 452 5658

PHUKET Showroom

108/105-106, Moo 5, Chalermprakiat Rama 9 Rd., Rassada, Muang, Phuket 83000, Thailand
Tel. 076 304 450 Fax. 076 304 451

HAT YAI Showroom

ASEAN PLAZA

Unit S1003, 1468/218, Kanchanavanich Rd., Hatyai, Songkhla 90110, Thailand
Tel. 081 612 6533, 074 801 835

WAREHOUSE

88, Moo 21, Nimitmai Rd., Lamukha, Pathumthani 12150, Thailand
Tel. 02 569 1948 Fax. 02 569 1949



wdc_thailand



www.wdc.co.th



@wdc_thailand



wdcthailand





Italian style premium porcelain floor and wall tiles with special larger sizes. Inspired by natural materials, blended with natural colors, global design formats and production technology from Italy will make the tiles look exclusive, natural, strong and durable through firing production process that has the highest temperature at 1,200 degrees.

With carefully attempts to all the details of precess and designs to the motto 'Your Life in Your Own Way', it will be the best solution to be unique and different....exclusively yours.

กระเบื้องพอร์ซเลน (Porcelain) พรีเมียม ขนาดใหญ่สไตล์โมเดิร์นอิตาลี ที่ผสมผสานระหว่างเอกลักษณ์รูปแบบธรรมชาติ ด้วยดีไซน์ระดับโลก และเทคโนโลยีการผลิตชั้นเยี่ยมจากอิตาลี ทำให้กระเบื้องมีลวดลายสวยงามเสมือนจริงเป็นธรรมชาติสุดเอ็กซ์คลูซีฟ ที่ผสมผสานความแข็งแกร่ง ทนทาน โดยผ่านกระบวนการเผาด้วยความร้อนถึง 1,200 องศา ด้วยความพิถีพิถันทุกรายละเอียดของการผลิตกับงานดีไซน์แบบ “your life in your own way” การใช้ชีวิตในแบบของคุณ จึงตอบโจทย์รสนิยมที่แตกต่าง เพื่อสร้างความโดดเด่นแบบเอ็กซ์คลูซีฟ ในแบบของคุณ

Luxury In Every
Architecture And
Interior Design
By MAXIMUS™

CONTENT

01	Tiles 60x120 cm.
11	Tiles 60x90 cm.
25	Tiles 80x80 cm.
33	Tiles 60x60 cm.
46	Tiles 30x60 cm.
51	Tiles 15x60 cm.

TILES

Series
Alps Staturio
Surface : Shine (Polished), Stone (Structured)
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x120

GLAZED PORCELAIN

TILE

POL

POLISHED SURFACE

STR

STRUCTURED SURFACE

V3


MODERATELY NOTICEABLE FROM TILE TO TILE

WALL TILE

FLOOR TILE

6 RANDOM

60x120 cm.



Alps Staturio



Series
Super Satuario Grand
Surface : Polished, Matt
Thickness (mm.) : 8.25 (60x60), 9.5 (60x120)
Rectified : Yes
Working (cm.) : 60x60, 60x120

GLAZED PORCELAIN

TILE

POL

POLISHED SURFACE

MAT

MATT SURFACE

V2

SLIGHTLY NOTICEABLE FROM TILE TO TILE

WALL TILE

FLOOR TILE

(104), (401)

16 RANDOM

(10012), (40001)


8 RANDOM

60x120 cm.

60x60 cm.



Super Satuario Grand (10012), Super Satuario Grand Matt (40001)



Super Satuario (104), Super Satuario Matt (401)



Series
Superb Lasa Grande

Surface : Polished
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 60x120

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

8 RANDOM

60x120 cm.



Superb Lasa Grande (10014)

Series
Superb Carrara Grande

Surface : Polished
Thickness (mm.) : 8.25 (60x60), 9.5 (60x120)
Rectified : Yes
Working (cm.) : 60x60, 60x120

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

6 RANDOM


12 RANDOM

60x120 cm.

60x60 cm.



Superb Carrara Grande (10013)



Superb Carrara (105)



Series
Cararra
Surface : Polished, Lappato (60x60)
Thickness (mm.) : 9
Rectified : Yes
Working (cm.) : 60x60, 60x120

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

LAP

LAPPATO SURFACE

V2

SIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM



Cararra



Cararra



Series
Laster White
Surface : Polished, Lappato (60x60)
Thickness (mm.) : 9
Rectified : Yes
Working (cm.) : 60x60, 60x120

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

LAP

LAPPATO SURFACE

V2

SIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM



Laster White



Laster White



Series
Fuji Marble
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x120

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V1


UNIFORM
FROM TILE TO TILE

WALL TILE

FLOOR TILE

3 RANDOM

60x120 cm.



Fuji Marble

Series
Ice Marble
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x120

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V1

UNIFORM
FROM TILE TO TILE

WALL TILE

FLOOR TILE

2 RANDOM

60x120 cm.



Ice Marble



Series
Nero Marquina Grande

Surface : Polished
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 60x120



60x120 cm.



Nero Marquina Grande (50001)



Series
Marble Stone

Surface : Polished, Matt
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 60x120



60x120 cm.



Travertino Grey (10010)

Desert White (20003)



Travertino Grey (10010)

Series
Dream White
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

6 RANDOM

60x90 cm.



Dream White

Series
Calacatza
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2


SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

6 RANDOM

60x90 cm.




Calacatza (T-60040)



Series

Royal Saturto Glossy

Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90




Royal Saturto Glossy (T-1116)

Series

Porpoise White

Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90



Porpoise White (60002) (Glossy)



Series
Art White
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

6 RANDOM

60x90 cm.



Art White



Series
Hezzel Grey
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

6 RANDOM


60x90 cm.



Hezzel Grey




Series
Bella Beige
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90



Bella Beige (T-1108)


Series
Onyx Classico
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90



Onyx Classico (T-1113)




Series
Hercules Matt
Surface : Matt
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90



Hercules Matt (T-1211)


Series
Cloud Grey
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90



Cloud Grey (60043) (Glossy)




Series
Fossil Grey
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90



Fossil Grey (60042) (Glossy)



Series
Lead Grey (Hi-Glossy)
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90



Lead Grey (65003) (Hi-Glossy)



Series
Hickory Brown (Hi-Glossy)
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V3


MODERATELY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM

60x90 cm.



Hickory Brown (65001) (Hi-Glossy)

Series
Aegean Blue (Hi-Glossy)
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x90

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V3


MODERATELY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM

60x90 cm.



Aegean Blue (65002) (Hi-Glossy)



Series
Bichezza
Surface : Soft Polished
Thickness (mm.) : 10.8
Rectified : Yes
Working (cm.) : 80x80

UNGLAZED
PORCELAIN
TILE

SOFT
SOFT POLISHED
SURFACE

V3
MODERATELY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

3 RANDOM

80x80 cm.



Bichezza White Soft Polished (RGT8707)



Series
Bichezza
Surface : Soft Polished
Thickness (mm.) : 10.8
Rectified : Yes
Working (cm.) : 80x80

UNGLAZED
PORCELAIN
TILE

SOFT
SOFT POLISHED
SURFACE

V3
MODERATELY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

6 RANDOM

80x80 cm.



Bichezza Mineral Soft Polished (RGT8712)




Series
Bichezza
Surface : Soft Polished
Thickness (mm.) : 10.8
Rectified : Yes
Working (cm.) : 80x80



Bichezza Grey Soft Polished (RGT8715)



Series
Bichezza
Surface : Soft Polished
Thickness (mm.) : 10.8
Rectified : Yes
Working (cm.) : 80x80



Bichezza Fog Soft Polished (RGT8716)



Series
Infinity
Surface : Polished, Matt
Thickness (mm.) : 9 (30x60,60x60), 9.5 (80x80)
Rectified : Yes
Working (cm.) : 30x60, 60x60, 80x80

GLAZED
PORCELAIN
TILE

POL
POLISHED SURFACE


MAT
MATT SURFACE

V1
UNIFORM
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM



Infinity Silver



Series
Infinity
Surface : Polished, Matt
Thickness (mm.) : 9 (30x60,60x60), 9.5 (80x80)
Rectified : Yes
Working (cm.) : 30x60, 60x60, 80x80

GLAZED
PORCELAIN
TILE

POL
POLISHED SURFACE


MAT
MATT SURFACE

V1
UNIFORM
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM



Infinity Sand



Series
Stone
Surface : Matt
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 80x80

GLAZED
PORCELAIN

TILE

MAT

MATT SURFACE

V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM

80x80 cm.



Stone Grey



Stone Beige



Stone Grey

Series
Marble 80x80
Surface : Polished
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 80x80

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V1

UNIFORM
FROM TILE TO TILE

WALL TILE

FLOOR TILE

Satvario Pearl

3 RANDOM

Honey Blanco

4 RANDOM

80x80 cm.



Satvario Pearl



Honey Blanco



Satvario Pearl

Series
Flow
Surface : Matt
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 60x60





Flow Light Grey (60FL01) Flow Grey (60FL02) Flow Dark Grey (60FL03)



Flow Light Grey (60FL01)

Series
Space Black
Surface : Lappato
Thickness (mm.) : 9
Rectified : Yes
Working (cm.) : 60x60



Space Black (Lappato) (Sugar)



Series

Arencia

Surface : Polished

Thickness (mm.) : 10

Rectified : Yes

Working (cm.) : 60x60

GLAZED PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SLIGHTLY NOTICEABLE FROM TILE TO TILE

WALL TILE

FLOOR TILE

60x60 cm.



Arencia (WDC6001)

Series

Classic Stone

Surface : Polished

Thickness (mm.) : 10

Rectified : Yes

Working (cm.) : 60x60

GLAZED PORCELAIN

TILE

POL

POLISHED SURFACE


V2

SLIGHTLY NOTICEABLE FROM TILE TO TILE

WALL TILE

FLOOR TILE

60x60 cm.



Classic Stone (WDC6002)



Series
Monalisa
Surface : Polished, Matt
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 60x60

GLAZED PORCELAIN
TILE

POL
POLISHED SURFACE


MAT
MATT SURFACE

V2
SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM



Monalisa Cream (MT6060B) Monalisa Light Grey (MT6060S) Monalisa Grey (IL6060G) Monalisa Dark Grey (MT6060G)
Monalisa Cream Matt (MT6060BM) Monalisa Light Grey Matt (MT6060SM) Monalisa Dark Grey Matt (MT6060GM)



Monalisa Dark Grey (MT6060G)

Series
Venezia
Surface : Matt
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 60x60

GLAZED PORCELAIN
TILE

MAT
MATT SURFACE

V2
SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

4 RANDOM





Venezia White (BMTZ6001) Venezia Mix (BMTZ6002) Venezia Grey (BMTZ6003) Venezia Black (BMTZ6004)



Venezia Grey (BMTZ6003)

Series
Silver white
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x60



Silver White





Series
Conte
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x60



Conte (MP6622G)




Series
Cesare
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x60



Cesare (MP6031G)




Series
Franco
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x60



Franco (MP6016G)



Series
Cementzo
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x60



GLAZED PORCELAIN
TILE

POL
POLISHED SURFACE


V2
SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE



Cementzo Light Grey (WDC6009)



Cementzo Grey (WDC6010)



Cementzo Grey (WDC6010)

Series
Marble 60x60
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x60



GLAZED PORCELAIN
TILE


POL
POLISHED SURFACE

V1
UNIFORM
FROM TILE TO TILE

WALL TILE

FLOOR TILE


New Corfu (Set006)
4 RANDOM



New King White (103)



New Corfu (Set006)



Nicola (MP6621G)



Nicola (MP6621G)

Series
Wood
Surface : Polished
Thickness (mm.) : 10
Rectified : Yes
Working (cm.) : 60x60

60x60 cm.

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE



Cabana Wood (CECO604)



Solid Wood Brown (WDC6007)



Solid Wood Grey (WDC6006)



Cabana Wood (CECO604)

Series
Monte
Surface : Glossy
Thickness (mm.) : 9
Rectified : Yes
Working (cm.) : 30x60

30x60 cm.

CERAMIC

TILE

GLOSSY

GLOSSY SURFACE

V1

UNIFORM
FROM TILE TO TILE

WALL TILE

5 RANDOM



Monte (PL-246-A)



Series
White Genius
Surface : Glossy, Matt
Thickness (mm.) : 9
Rectified : Yes
Working (cm.) : 30x60

CERAMIC

TILE

GLOSSY

GLOSSY SURFACE

MAT

MATT SURFACE


V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE


WALL TILE

4 RANDOM

30x60 cm.



White Genius Glossy (WDC3615)



White Genius Matt (WDC3616)



Series
Super Saturaio
Surface : Polished
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 30x60

GLAZED
PORCELAIN

TILE

POL

POLISHED SURFACE

V2

SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

8 RANDOM

30x60 cm.



Super Saturaio (PL-20056-A)



Super Saturaio De'cor (RS-20056-HL)



Series
3D Texture
Surface : Glossy
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 30x60




30x60 cm.



Canova (DM-206-A)



Mona Lega (BKK-009)



Mona Leon (BKK-010)



Canova (DM-206-A)

Series
Graphics
Surface : Glossy, Matt, Structured
Thickness (mm.) : 9.5
Rectified : Yes
Working (cm.) : 30x60



30x60 cm.



Mulberry White Leaves (LV-234-A)



Mulberry Joy Leaves (LV-234-B)



Mulberry Butterfly (LV-234-HL)



Clearwind White Glossy (LF.G WHITE)



Clearwind Brown Matt (LF-388-A)



Tatan White (RCK-40110-A)



Tatan Brown (RCK-40110-B)



Tatan Grey (RCK-40101-A)



Tatan Grey (RCK-40101-A), Tatan White (RCK-40110-A)

Series
Ezy Wood
Surface : Matt
Thickness (mm.) : 9
Rectified : Yes
Working (cm.) : 15x60

CERAMIC
TILE

MAT
MATT SURFACE

V2
SLIGHTLY NOTICEABLE
FROM TILE TO TILE

WALL TILE

FLOOR TILE

8 RANDOM

6 RANDOM

Ezy Wood Dark Brown
(GT15603)



Ezy Wood Brown
(GT15601)



Ezy Wood Light Brown
(GT15602)



Ezy Wood Dark Brown
(GT15603)



Ezy Wood Beige
(GT15604)



Ezy Wood Ivory
(GT15606)



Ezy Wood Dark Brown (GT15603)

FINISHES & TEXTURES



POLISHED
A full polished finish give the interior a vibrant and rich effect. The finish is a highly reflective and deepens the colour of tile and adds elegance to any installation.



MATT / UNPOLISHED
The matt / unpolished finish give a beauty of nature soft look. The elegance of this finish is matched by its low maintenance and durability.



LAPPATO / SEMI POLISHED
The lappato finish is achieved through a mechanical process whereby the surface is polished with an abrasive wheel to softly reflect a sheer shine to give an elegant finish for an interior space.



STRUCTURED / TEXTURED
Design from natural stone or slabs, the structured or rock finish give slip resistant for any use or application. Durable and low maintenance, which offers sophistication that will lasts.



GLOSSY
Glossy tiles are coated with glass-forming minerals and offer high stain and water resistance. Glossy tiles have a hard non-porous, impermeable surface after firing. These tiles do not require sealing.




POLISHED
SURFACE



GLOSSY
SURFACE



MATT
SURFACE



STRUCTURED
SURFACE

SHADE VARIATION



UNIFORM FORM
The range of colours and tones within the same shade is relatively uniform form tile to tile. Minimal to no difference among pieces from the same production run.



SLIGHTLY NOTICEABLE FROM TILE TO TILE
The range of colours and tones within the same shade is slightly noticeable from tile to tile. Clearly distinguishable differences in design or pattern, with similar or slight change in colour tones.



MODERATELY NOTICEABLE FROM TILE TO TILE
The range of colours and tones within the same shade is moderately noticeable from tile to tile. Clearly distinguishable differences in design or pattern.



DISTINCTLY NOTICEABLE FROM TILE TO TILE
The range of colours and tones within the same shade is distinctly different from tile to tile. Random colour differences from tile to tile so that one tile may have totally different colours from that on other tiles. **FINAL INSTALLATION WILL BE UNIQUE.**

LIGHT TO MODERATE TRAFFIC

This test is applied for glazed porcelain tile and more applicable for floor tiles. The rating measures the abrasive resistance or hardness of the tile's glaze on scale of 0-5

Class 0 (PEI 0) NO FOOT TRAFFIC
WALL TILE ONLY and should not be used on floors.

Class 1 (PEI 1) VERY LIGHT TRAFFIC
For tile that are suitable for residential bathroom with light or very low barefoot foot traffic.

Class 2 (PEI 2) LIGHT TRAFFIC
may be used where abrasive foot traffic is minimal-such as bathrooms, bedrooms, dining rooms and living rooms.

Class 3 (PEI 3) FOR FLOOR
subject to normal foot traffic and usage (including kitchens, outdoor entryways and hallways.) These tile can be recommended for all residential installations with normal foot traffic.

Class 4 (PEI 4) MODERATE TO HEAVY TRAFFIC
Suitable for light to medium commercial applications and high foot traffic areas for residential application.

Class 5 (PEI 5) HEAVY TRAFFIC
Ideally suited for all residential and heavy traffic commercial areas under normal foot traffic conditions.