

R-SILK


Limestone *meets* **FABRIC**





We have given a fresh interpretation to R-silk, refined inspiration of fine limestone and fabrics. This collection comes into structured finished with five perfect colors — Bianco, Corda, Silver, Antracite and Nero. Elegant and modern, with a moderate industrial feel. It is dedicated to those who love to personalize spaces following their creative impulse.





Home at last: a welcoming shelter offering an atmosphere of well-being.





A soft feeling with multiple colors, R-silk wraps the strength and durability and high quality matter.



Floor: PD6051S 60 x 60cm / 24" x 24" Wall: PD3651S 30 x 60cm / 12" x 24" Trigon mixed 30 x 30cm / 12" x 12"




Floor: PD6051S 60 x 60cm / 24" x 24" PD1653S PD1656S 10 x 60cm / 4" x 24" 08



R-SILK


R-silk, an encounter between different material sensations that comes together in an elegant way.





R-SILK

Based on the creativity, R-silk is capable of transforming any space with an artistic and original touch.





Enter the bathroom, and instantly perceive the sophisticated softness of its surfaces.



Floor / Wall: PD6053S 60 x 60cm / 24" x 24"



Floor: PD15651S PD15653S PD15656S PD15659S 15 x 60cm / 6" x 24" 14

R-SILK

R-silk consists a new interior decoration philosophy, expresses a decidedly modern attitude.



Floor: PD6052S 60 x 60cm / 24" x 24"





The colours of the landscape are interpreted and synthesised in neutral, natural nuances that give off a rare sensation of peace and lightness. Delicate shades and soft colour passages become refined proposals for a contemporary lifestyle.





Infinite laying possibilities, for offices and public spaces with a usable, contemporary design.




Floor: PD6059S 60 x 60cm / 24" x 24" PD1653S PD1656S 10 x 60cm / 4" x 24"



Floor: PD6053S 60 x 60cm / 24" x 24" PD6059S 60 x 60cm / 24" x 24" PD15656S 15 x 60cm / 6" x 24" PD6059S 15 x 15cm / 6" x 6"
Wall: PD3651S 30 x 60cm / 12" x 24" 30 x 30cm / 12" x 12"

PD605 IS
Bianco



60 x 60cm 24" x 24"



30 x 60cm 12" x 24"



20 x 60cm 8" x 24"



15 x 60cm 6" x 24"



10 x 60cm 4" x 24"



20 x 20cm
8 x 8



15 x 15cm
6 x 6



Trigon mixed
30 x 30cm
12" x 12"



Rectangle mixed
30 x 30cm
12" x 12"



Hexagon mixed
30 x 30cm
12" x 12"

PD6052S
Corda



60 x 60cm 24" x 24"



30 x 60cm 12" x 24"



20 x 60cm 8" x 24"



15 x 60cm 6" x 24"



10 x 60cm 4" x 24"



20 x 20cm
8 x 8



15 x 15cm
6 x 6



Trigon mixed
30 x 30cm
12" x 12"




Rectangle mixed
30 x 30cm
12" x 12"



Hexagon mixed
30 x 30cm
12" x 12"

PD6053S
Silver



60 x 60cm 24" x 24"



30 x 60cm 12" x 24"



20 x 60cm 8" x 24"



15 x 60cm 6" x 24"



10 x 60cm 4" x 24"



20 x 20cm
8 x 8



15 x 15cm
6 x 6



Trigon mixed
30 x 30cm
12" x 12"




Rectangle mixed
30 x 30cm
12" x 12"



Hexagon mixed
30 x 30cm
12" x 12"

PD6056S
Antracite



60 x 60cm 24" x 24"



30 x 60cm 12" x 24"



20 x 60cm 8" x 24"



15 x 60cm 6" x 24"



10 x 60cm 4" x 24"



20 x 20cm
8 x 8



15 x 15cm
6 x 6



Trigon mixed
30 x 30cm
12" x 12"




Rectangle mixed
30 x 30cm
12" x 12"



Hexagon mixed
30 x 30cm
12" x 12"

PD6059S
Nero



60 x 60cm 24" x 24"



30 x 60cm 12" x 24"



20 x 60cm 8" x 24"



15 x 60cm 6" x 24"



10 x 60cm 4" x 24"



20 x 20cm
8 x 8



15 x 15cm
6 x 6



Trigon mixed
30 x 30cm
12" x 12"



Rectangle mixed
30 x 30cm
12" x 12"



Hexagon mixed
30 x 30cm
12" x 12"

Technical Standard

TECHNICAL CHARACTERISTICS	STANDARD TEST METHOD	STANDARD PRESCRIBED VALUES	PADUA VALUES
MEASUREMENT AND SURFACE APPEARANCE			
LENGTH	EN ISO 10545-2	± 0.6%	± 0.1%
WIDTH	EN ISO 10545-2	± 0.6%	± 0.1%
THICKNESS	EN ISO 10545-2	± 5%	± 3%
TRANSMUTATION	EN ISO 10545-2	± 0.5%	± 0.2%
PHYSICAL PROPERTIES			
WATER ABSORPTION	EN ISO 10545-3	≤ 0.5%	≤ 0.5%
BREAKING STRENGTH	EN ISO 10545-4	≥ 1300N	≥ 1300N
MODULUS OF RUPTURE	EN ISO 10545-4	≥ 35N/mm ²	≥ 35N/mm ²
RESISTANCE TO ABRASION	EN ISO 10545-6	≤ 205mm ³	≤ 160mm ³
THERMAL EXPANSION COEFFICIENT	EN ISO 10545-8	≤ 9MK-1	≤ 7MK-1
TEMPERATURE SHOCK RESISTANCE	EN ISO 10545-9	NO DEFECTS SHOULD BE VISIBLE	DURABLE
FROST RESISTANCE	EN ISO 10545-12	NO SURFACE DEFECTS OR CRACKS SHOULD BE VISIBLE	ANTI-ICE
SLIP RESISTANCE	DIN 51130	R9-R13	≥ R9
CHEMICAL PROPERTIES			
CHEMICAL RESISTANCE RESISTANCE TO HOUSEHOLD CHEMICALS AND SWIMMING POOL SALTS	EN ISO 10545-13	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	DURABLE
RESISTANCE TO STAINING	EN ISO 10545-14 when subjected to chemicals	THERE SHOULD BE NO VISIBLE CHANGES WHEN SUBJECTED TO CHEMICALS	NO VISIBLE DEFECTS

Packing Details

SERIES	Sizes 	Pcs/Ctn 	M ² /Ctn 	M ² /Plt 	Ctns/Plt 	Kg/Plt
R-SILK	15x90-6" x36"	8	1.08	51.84	48	1152
	45x90-18" x36"	3	1.215	38.88	32	896
	60x60-24" x24"	4	1.44	57.6	40	1280
	30x60-12" x24"	8	1.44	57.6	40	1280
	30x30-12" x12"	11	0.99	55.44	56	1232
	30x30-12" x12" Mosaic	11	0.99	55.44	56	1232

SHADE VARIATION	V2	Uniform appearance V1	Slight variation V2	Moderate variation V3	Substantial variation V4
-----------------	----	--------------------------	------------------------	--------------------------	-----------------------------